



S.R.A.

STUD RAIL ADAPTER

Picatinny Rail Adapter for Sling Swivel Stud

We sell our own line of adapters and combos custom designed
& manufactured to fit Harris Engineering bipods.



INSTALLATION + INSTRUCTIONS



Always ensure that your firearm
is unloaded prior to installation

S.R.A. Stud Rail Adapter



1. Place the rectangular metal plate over the sling swivel stud on your rifle.

S.R.A. Stud Rail Adapter




2. Insert pin through the rectangular metal insert making sure it goes through the center hole in the sling swivel stud.

S.R.A. Stud Rail Adapter



- 3.** Place SRA adapter over the rectangular plate making sure that the hex set screws line up with the threaded holes of the insert.

S.R.A. Stud Rail Adapter



4. Use the hex tool (1/8 included) to screw in the two hex set screws into the holes of the rectangular insert, do not over tighten.

THANK YOU

Please visit harrisbipods.com where we sell the complete line of Harris Engineering Bipods and MIM Manufactured adapters at discounted prices.



Take Your Best Shot...



Limited Warranty

Guaranteed forever from date of purchase against defects in materials and workmanship. Guarantee does not extend beyond replacement or repair of adapter. MIM Manufacturing has no control over and assumes no responsibility for manner in which adapters are used. Prices and specifications are subject to change without notice.

- Patent Pending -

1455 Southford Road, Ste K | Southbury, CT | 06488
email: info@mim-mfg.com | www.mim-mfg.com



© 2021 Newford Group